
pytest-firefox Documentation

Release latest

Benjamin Forehand Jr

Dec 27, 2017

Contents

1	Installation	3
1.1	Requirements	3
1.2	Install pytest-firefox	3
2	User Guide	5
2.1	Quick Start	5
2.2	Notifications	6
3	Release Notes	7

pytest-firefox is a plugin for [pytest](#) that provides support for running [Foxpuppet](#) to control [Firefox Web Browser](#) within a test.

1.1 Requirements

pytest-fiefox will work with Python 2.7 and 3.6.

1.2 Install pytest-firefox

To install pytest-firefox using `pip`:

```
$ pip install pytest-firefox
```

To install from source:

```
$ python setup.py develop
```


Contents

- *User Guide*
 - *Quick Start*
 - *Notifications*

2.1 Quick Start

The pytest-firefox plugin provides a method scoped `fixture` for use within a test. This means that any test with Firefox as an argument will have access to `Foxpuppet` features for browser control.

Note: It is advised to create a fixture named `selenium` and specify any options you want Firefox to be started with. By default, pytest-firefox will create a blank Firefox Webdriver object using `Selenium`.

Here is an example test that opens a new window using `Foxpuppet`.

```
def open_window(firefox):  
    firefox.open_window()
```

The above code will start a new Webdriver session with no options passed to Firefox. It will then open 1 new window for a total of 2 windows opened. By default, starting a new Selenium Webdriver session will open 1 window.

2.2 Notifications

pytest-firefox has access to the different types of notifications shown within Firefox. To access these items simply add the notifications fixture as an argument in your tests.

```
def check_notification(firefox, notifications):  
    firefox.browser.wait_for_notification(notifications.AddOnInstallConfirmation)
```

The above code will wait for the notification type named AddOnInstallConfirmation to be shown. See more about [notifications](#).

CHAPTER 3

Release Notes

0.1 (2017-07-24)

- Initial Alpha Release